


# 105 Lock Knuckle

RX-232

# 105 Lock Knuckle

RX-232



## WEIGHT

2.6 oz per unit


## KEY FEATURES

- Easy Lock-in System
- Eliminates Miter Joints
- Ideal for Modular Frames

## DESCRIPTION


The 105 Lock Knuckle is specifically designed to work with the RX-105 profile, they are used as an alternative to the heavy duty elbows.

A simple half turn with a lock key secures the corners in place making them quick and easy to assemble. The Lock Knuckle also eliminates the need for cutting miter corners, giving you more freedom to alter modular frames. This also saves a significant amount of time on manufacturing and installation, making them ideal for large quantities and time sensitive installations.



# Product Information & Usage

RX-232




The 105 Lock Knuckle (RX-232) works specifically with the RX-105 profile.

## CONNECTION


The Lock knuckles connect via the 90° Locks (RX-212), this means a lock hole must be drilled into the extrusion at the corner for the knuckles to connect properly. No elbow joiners are necessary when using the corner knuckles.

When using the corner knuckles on a free standing frame it is recommended that a RX-224 Corner Brace is used in conjunction on any corners containing a knuckle.

RX-212




# HOW TO CONNECT THE 105 LOCK KNUCKLE




1 | Begin by inserting the locks into the corners by simultaneously pushing down the lock button and inserting into the channel.

The lock button should spring back up through the pre-drilled lock hole when fully inserted.




2 | Once the locks are fully inserted, slide each corner length into the corner knuckle.

Each lock should comfortably fit into the center channel of the knuckle.



3 | Once the knuckle is in place, tighten each lock using a lock key to secure the corner.

Repeat this for each corner.



4 | (For Large Free Standing Frames)

Insert the corner bracket into place and tighten the two locks with the lock key to secure.

Repeat until all corner braces are in place.

## Installation RX-232




SCAN QR TO VIEW VIDEO



The 105 Lock Knuckles are compatible with the following Products

### Profiles



### Accessories & Tools

Primary



# 105 Lock Knuckles Compatibility

---